FEBS Letters 339 (1994) 320–321

Contents to volume 339

Research Letters

Analysis of revertants from respiratory deficient mutants within the center *N* of cytochrome *b* in *Saccharomyces cerevisiae* (FEBS 13622) *J.-Y. Coppée, N. Tokutake, D. Marc, J.-P. di Rago, H. Miyoshi, A.-M. Colson* 1

Inhibition of epidermal growth factor-dependent protein tyrosine phosphorylation by phorbol myristate acetate is mediated by protein tyrosine phosphatase activity (FEBS 13624) *M. Errasfa, A. Stern* 7

Characterization by ^{1}H NMR of a C32S,C35S double mutant of *Escherichia coli* thioredoxin confirms its resemblance to the reduced wild-type protein (FEBS 13618) *H.J. Dyson, M.-F. Jeng, P. Model, A. Holmgren* 11

Site-specific mutagenesis of the reaction centre from *Rhodobacter sphaeroides* studied by Fourier transform Raman spectroscopy: mutations at tyrosine M210 do not affect the electronic structure of the primary donor (FEBS 13625) *M.R. Jones, M. Heer-Dawson, T.A. Mattioli, C.N. Hunter, B. Robert* 18

Characterization of a D1–D2–cyt *b*-559 complex containing 4 chlorophyll *a*/2 pheophytin *a* isolated with the use of $MgSO_4$ (FEBS 13626) *I. Yruela, P.J.M. van Kan, M.G. Müller, A.R. Holzwarth* 25

A novel myosin I from bovine adrenal gland (FEBS 13628) *T. Zhu, M. Ikebe* 31

Tris: an allosteric effector of tarantula haemocyanin (FEBS 13627) *R. Sterner, K. Bardehle, R. Paul, H. Decker* 37

Mitochondrial respiratory chain inhibitors induce apoptosis (FEBS 13629) *E.J. Wolvetang, K.L. Johnson, K. Krauer, S.J. Ralph, A.W. Linnane* 40

Generation of a stable folding intermediate which can be rescued by the chaperonins GroEL and GroES (FEBS 13630) *D. Peralta, D.J. Hartman, N.J. Hoogenraad, P.B. Høj* 45

Na^+-dependent high affinity uptake of L-glutamate in primary cultures of human fibroblasts isolated from three different types of tissue (FEBS 13631) *V.J. Balcar, J. Shen, S. Bao, N.J.C. King* 50

Detection of specific glucose-3-phosphatase activity in rat liver (FEBS 13632) *J. Canales, F. Buitrago, A. Faraldo, J.C. Cameselle* 55

Inhibition of the Ca^{2+}-activated K^+-channel by sapecin B, an insect antibacterial protein (FEBS 13633) *M. Shimoda, H. Takagi, S. Kurata, T. Yoshioka, S. Natori* 59

The effect of haloperidol on D2 dopamine receptor subtype mRNA levels in the brain (FEBS 13634) *C.S. Fishburn, C. David, S. Carmon, S. Fuchs* 63

Sequence-specific cleavage of RNA by a hybrid ribonuclease H (FEBS 13635) *C. Nakai, A. Konishi, Y. Komatsu, H. Inoue, E. Ohtsuka, S. Kanaya* 67

Induction of apoptosis in murine ACTH-secreting pituitary adenoma cells by bromocriptine (FEBS 13636) *D. Yin, S. Kondo, J. Takeuchi, T. Morimura* 73

Role of type II phospholipase A_2 in the inflammatory process of carrageenan-induced pleurisy in rats (FEBS 13638) *M. Kakutani, M. Murakami, H. Okamoto, I. Kudo, K. Inoue* 76

α_{2A}-Adrenergic receptors activate protein kinase C in human platelets via a pertussis toxin-sensitive G-protein (FEBS 13640) *R. Nieuwland, O.L.C. Wijburg, G. van Willigen, J.-W.N. Akkerman* 79

Restoration of down-regulated PDGF receptors by TGF-β in human embryonic fibroblasts: Enhanced response during cellular in vitro aging (FEBS 13641) *S. Psarras, D. Kletsas, D. Stathakos* 84

Aromatic hydroxylation and nitration of phenylalanine and tyrosine by peroxynitrite: Evidence for hydroxyl radical production from peroxynitrite (FEBS 13623) *A. van der Vliet, C.A. O'Neill, B. Halliwell, C.E. Cross, H. Kaur* 89

Activity of the $E^{75}E^{76}$ mutant of the α subunit of casein kinase II from *Xenopus laevis* (FEBS 13643) *M. Gatica, A. Jedlicki, C.C. Allende, J.E. Allende* 93

Arguments against a close relationship between non-phosphorylating and phosphorylating glyceraldehyde-3-phosphate dehydrogenases (FEBS 13644) *S. Michels, S. Scagliarini, F.D. Seta, C. Carles, M. Riva, P. Trost, G. Branlant* 97

The amino acid sequences of human and pig L-arginine:glycine amidinotransferase (FEBS 13642) *A. Humm, R. Huber, K. Mann* 101

Identification and characterization of a primary antibacterial domain in CAP18, a lipopolysaccharide binding protein from rabbit leukocytes (FEBS 13645) *A. Tossi, M. Scocchi, B. Skerlavaj, R. Gennaro* 108

The R-form of DNA does exist (FEBS 13647) *A.K. Shchyolkina, E.N. Timofeev, O.F. Borisova, I.A. Il'icheva, E.E. Minyat, E.B. Khomyakova, V.L. Florentiev* 113

A monoclonal antibody that interferes with the post-aggregation adhesion of *Dictyostelium discoideum* cells (FEBS 13648) *T. Keller, E. Eitle, K. Balding, C. Corrick, R.W. Parish* 119

Identification of a cDNA encoding a *Drosophila* calcium/calmodulin regulated protein phosphatase, which has its most abundant expression in the early embryo (FEBS 13649) *L. Brown, M.X. Chen, P.T.W. Cohen* 124

Induction of cell fusion in cultured fibroblasts and epithelial cells by microinjection of EGTA, GTPγS and antifodrin antibodies (FEBS 13654) *S. Eskelinen, V.-P. Lehto* 129

Ultrafast chlorophyll *b*–chlorophyll *a* excitation energy transfer in the isolated light harvesting complex, LHC II, of green plants: Implications for the organisation of chlorophylls (FEBS 13656) *L.O. Pålsson, M.D. Spangfort, V. Gulbinas, T. Gillbro* 134

Identification of a chaperonin-10 homologue in plant mitochondria (FEBS 13651) *W.J.E. Burt, C.J. Leaver* 139

Studies on the proton-translocating NADH:ubiquinone oxidoreductases of mitochondria and *Escherichia coli* using the inhibitor 1,10-phenanthroline (FEBS 13657) *M. Finel, A. Majander* 142

Site-directed mutagenesis of the P2 residue of human antithrombin (FEBS 13655) *W.P. Sheffield, M.A. Blajchman* 147

Light-induced Fourier transform infrared spectrum of the cation radical $P680^+$ (FEBS 13658) *S.I. Allakhverdiev, A. Ahmed, H.-A. Tajmir-Riahi, V.V. Klimov, R. Carpentier* 151

Kinetics of inhibition of bovine cathepsin S by bovine stefin B (FEBS 13659) *B. Turk, A. Colić, V. Stoka, V. Turk* 155

The α-subunits of G-proteins G_{12} and G_{13} are palmitoylated, but not amidically myristoylated (FEBS 13660) *M. Veit, B. Nürnberg, K. Spicher, C. Harteneck, E. Ponimaskin, G. Schultz, M.F.G. Schmidt* 160

D-Ribose stabilizes precursor and mature ribose-binding proteins of *Escherichia coli* (FEBS 13661) *H. Lee, H. Kim* 165

Phospholipase A_2 enhances [^{3}H]AMPA binding to a putative homomeric GluR-B receptor in the rat spinal cord (FEBS 13668) *A.M. Cruickshank, J.M. Henley* 168

RT-PCR cloning of Rab3 isoforms expressed in peritoneal mast cells (FEBS 13663) *A.F. Oberhauser, V. Balan, C.L. Fernandez-Badilla, J.M. Fernandez* 171

Escherichia coli SecY and SecE proteins appear insufficient to constitute the SecA receptor (FEBS 13664) *Y.J. Kim, D.B. Oliver* 175

Production of platelet-derived growth factor receptor (PDGFR-β) in *E. coli*: Mapping ligand binding domain (FEBS 13666) *B.C. Rooney, M. Hosang, W. Hunziker* 181

Polychlorinated biphenyls modulate protooncogene expression in Chang liver cells (FEBS 13671) *S. Hornhardt, H.-S. Jenke, G. Michel* 185

Insect calcium channels: Molecular cloning of an α_1-subunit from housefly (*Musca domestica*) muscle (FEBS 13675) *M. Grabner, A. Bachmann, F. Rosenthal, J. Striessnig, C. Schulz, D. Tautz, H. Glossmann* 189

Expression of the human UDP-glucuronosyltransferase UGT1*6 in *Escherichia coli*: Influence of bacterial signal peptides on the production and localization of the recombinant protein (FEBS 13676) *M. Ouzzine, S. Fournel-Gigleux, T. Pillot, B. Burchell, G. Siest, J. Magdalou* 195

Acylation of subtilisin with long fatty acyl residues affects its activity and thermostability in aqueous medium (FEBS 13679) *F.J. Plou, A. Ballesteros* 200

Glucose transporter localization in rat skeletal muscle: Autoradiographic study using ATB-[2-^{3}H]BMPA photolabel (FEBS 13639) *R.W. Dudek, G.L. Dohm, G.D. Holman, S.W. Cushman, C.M. Wilson* 205

Formation and properties of S-protein complex with S-peptide-containing fusion protein (FEBS 13646) *M.Y. Karpeisky, V.N. Senchenko, M.V. Dianova, V.Y. Kanevsky* 209

The rapid and reversible association of phosphofructokinase with myocardial membranes during myocardial ischemia (FEBS 13662) *S.L. Hazen, M.J. Wolf, D.A. Ford, R.W. Gross* 213

Degradation of D2 protein due to UV-B irradiation of the reaction centre of photosystem II (FEBS 13665) *G. Friso, R. Barbato, G.M. Giacometti, J. Barber* 217

Chromosomal localization of the protein tyrosine phosphatase G1 gene and characterization of the aberrant transcripts in human colon cancer cells (FEBS 13669) *M. Takekawa, F. Itoh, Y. Hinoda, M. Adachi, T. Ariyama, J. Inazawa, K. Imai, A. Yachi* 222

Anti-idiotypic monoclonal antibody recognizes a consensus recognition site for phosphatidylserine in phosphatidylserine-specific monoclonal antibody and protein kinase C (FEBS 13637) *F. Reza, K. Igarashi, S. Tokita, K. Asai, J. Aoki, Y. Asaoka, M. Umeda, K. Inoue* 229

Epidermal growth factor induces acrosomal exocytosis in bovine sperm (FEBS 13652) *Y. Lax, S. Rubinstein, H. Breitbart* 234

Monoclonal non-specific suppressor factor (MNSF) inhibits the IL4 secretion by bone marrow-derived mast cell (BMMC) (FEBS 13667) *M. Nakamura, R.M. Xavier, Y. Tanigawa* 239

The myeloid-lineage specific enhancer of the mouse myeloperoxidase gene consists of three *cis*-elements defined as in vitro DNase I footprints (FEBS 13672) *J.D. Zhu* 243

Substrate specificity of *Escherichia coli* LD-carboxypeptidase on biosynthetically modified muropeptides (FEBS 13673) *J.I. Leguina, J.C. Quintela, M.A. de Pedro* 249

Diurnal expression of NGF1-A mRNA in retinal degeneration slow (*rds*) mutant mouse retina (FEBS 13670) *N. Agarwal* 253

HIV-1 gp120-dependent induction of apoptosis in antigen-specific human T cell clones is characterized by 'tissue' transglutaminase expression and prevented by cyclosporin A (FEBS 13653) *A. Amendola, G. Lombardi, S. Oliverio, V. Colizzi, M. Piacentini* 258

YGE1 is a yeast homologue of *Escherichia coli grpE* and is required for maintenance of mitochondrial functions (FEBS 13674) *E. Ikeda, S. Yoshida, H. Mitsuzawa, I. Uno, A. Toh-e* 265

A mutation data matrix for transmembrane proteins (FEBS 13677) *D.T. Jones, W.R. Taylor, J.M. Thornton* 269

Thiol ester role in correct folding and conformation of human α_2-macroglobulin: Properties of recombinant C949S variant (FEBS 13678) *P.G.W. Gettins, E. Boel, B.C. Crews* 276

HCE, a constituent of the hatching enzymes of *Oryzias latipes* embryos, releases unique proline-rich polypeptides from its natural substrate, the hardened chorion (FEBS 13680) *K.-S. Lee, S. Yasumasu, K. Nomura, I. Iuchi* 281

'Camelising' human antibody fragments: NMR studies on VH domains (FEBS 13683) *J. Davies, L. Riechmann* 285

Three-dimensional structure of a recombinant peroxidase from *Coprinus cinereus* at 2.6 Å resolution (FEBS 13650) *J.F.W. Petersen, A. Kadziola, S. Larsen* 291

The kinetics of the interaction between the actin-binding domain of α-actinin and F-actin (FEBS 13682) *P.A. Kuhlman, J. Ellis, D.R. Critchley, C.R. Bagshaw* 297

Organisation of the murine 5-HT$_3$ receptor gene and assignment to human chromosome 11 (FEBS 13685) *P. Uetz, F. Abdelatty, A. Villarroel, G. Rappold, B. Weiss, M. Koenen* 302

Protein kinase C activates capacitative calcium entry in the insulin secreting cell line RINm5F (FEBS 13686) *H.-P. Bode, B. Göke* 307

Errata and Corrigenda 312

Author index to volume 339 316

Contents to volume 339 320